AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

- 1.-7. (Canceled)
- 8. (New) An integrated process for simultaneous synthesis and crystallization of a compound represented by the formula AcXYNH₂, wherein X and Y are amino acids and Ac is acetyl, comprising:
- (A) solubilizing an aqueous solution of a compound represented by the formula YNH₂, wherein Y is as defined above, using a mixture comprising alkane and alcohol in the presence of a surfactant to create a first solution, wherein reversed micelles are formed in said first solution;
- (B) dissolving a compound represented by the formula AcXOEt, wherein X and Ac are as defined above and Et is ethanol, in a mixture comprising alkane and alcohol to create a second solution;
- (C) adding said first and second solutions to a reactor comprising an ultrafiltration membrane and a hydro-cyclone so as to simultaneously synthesize and crystallize said compound represented by the formula AcXYNH₂,

wherein the compound represented by the formula AcXYNH₂ is selected from the group consisting of N-acetyl-L-phenylalanine leucinamide, N-acetyl-L-phenylalanine isoleucinamide, N-acetyl-L-phenylalanine valinamide, N-acetyl-L-phenylalanine alaninamide, N-acetyl-L-phenylalanine phenylalaninamide, N-acetyl-L-phenylalanine methioninamide, N-acetyl-L-tyrosine leucinamide, N-acetyl-L-tyrosine isoleucinamide, N-acetyl-L-tyrosine valinamide, N-acetyl-L-tryptophan leucinamide, N-acetyl-L-tryptophan isoleucinamide, and N-acetyl-L-tryptophan valinamide.

- 9. (New) The process of claim 8, wherein said reactor is a batch reactor.
- 10. (New) The process of claim 8, wherein said reactor is a continuous reactor.
- 11. (New) The process of claim 8, wherein the formation of AcXYNH₂ is not enzymatic.
- 12. (New) The process of claim 8, wherein said aqueous solution of step (A) further comprises a protease.
- 13. (New) The process of claim 8, further comprising re-crystallizing the compound represented by the formula AcXYNH₂ from a solvent so as to purify said compound represented by the formula AcXYNH₂.

- 14. (New) The process of claim 8, wherein Y is selected from the group consisting of leucine, isoleucine, valine, alanine, phenylalanine, and methionine.
- 15. (New) The process of claim 8, wherein X is phenylalanine, tyrosine, or tryptophan.
- 16. (New) The process of claim 8, wherein said alkane is selected from the group consisting of heptane, octane, isooctane, and a mixture of two or more thereof.
- 17. (New) The process of claim 8, wherein said alcohol is selected from the group consisting of hexanol, octanol, dodecanol, or a mixture of two or more thereof.
- 18. (New) The process of claim 8, wherein said surfactant is selected from the group consisting of dodecyl-trimethyl ammonium bromide, tetradecyl-trimethyl ammonium bromide, hexadecyl-trimethyl ammonium bromide, and a mixture of two or more thereof.